

Freud Routers & Accessories

A leader in the woodworking industry for over 50 years, Freud supplies quality tools and accessories to suit any project. From power tools to saw blades and router bits, Freud has precisely what you need.

ES
BE
TE
T
OU
BE

FT1700VCEK 2¼ hp Variable Speed Router



- The FT1700VCEK features above the table micro-adjustability with accuracy to 1/128".
- Features above table bit change with auto shaft lock and an extended shaft for safe and easy bit changes when bit is above the table.
- Industry leading 13 amp motor easily powers through the toughest jobs.
- Electronic variable speed control maintains constant RPM's under varying loads.



- Powerful 13 Amp Motor
- 1/2" & 1/4" Collets
- 7.5 lbs.
- Includes vacuum attachment, collet wrench, and Height adjustment knob

85



Simple above the table micro adjustment capability.



Easy one hand above the table bit change.




Micro adjustment accurate to 1/128".



Extended spindle shaft with auto lock.



Electronic Speed Control maintains constant speed under load.



Includes an instructional Video-CD for Routing Tips & Techniques.

FT3000VCE 3¼ HP Variable Speed Plunge Router


NEW



- The FT3000VCE features above the table micro adjustability with accuracy to 1/128".
- Ergonomically designed handles
- Features above table bit change with auto shaft lock and an extended shaft for safe and easy bit changes when bit is above the table.
- Industry leading 15 amp motor easily powers through the toughest jobs.
- Electronic variable speed control maintains constant RPM's under varying loads.

- Powerful 15 Amp Motor
- ¼" & ½" Collets
- Includes vacuum attachment, collet wrench, and Height adjustment knob
- 13 lbs.

86



Simple above the table micro adjustment capability.



Easy one hand above the table bit change.



Micro adjustment accurate to 1/128".



Base includes brass bushings, rotating turret stop, and 35/8" opening for large diameter bits.



Ergonomic handles provide superior comfort during use.



Electronic Speed Control maintains constant speed under load.

FT2200EP 3¼ hp Variable Speed Plunge Router



87

- New improved ergonomically designed handles
- Electronic variable speed control maintains constant speed and power under load for the best cuts in every application.
- Electronic soft-start offers better control from start to finish.
- Large micro-adjustment knob simplifies precision bit settings - even when mounted under a router table.
- Quick release depth stop and 3 position depth stop turret
- FT2200E available without the edge guide.

- Powerful 15 Amp Motor
- ½" & ¼" Collets
- Dust Collection Port
- Includes Edge Guide
- 13 lbs.

FT750T 1 hp Laminate Trimmer



- Powerful 6.6 amp, 30,000 RPM motor cuts easily through the toughest laminates.
- Micro-adjustable base for easy adjustment and accuracy.
- Lightweight for extended use without fatigue.

- Powerful 6.6 Amp Motor
- Includes Carrying Case
- 1/4" Collet
- 4.4 lbs.

SH-5 Premium Router Table Fence System



- Split fence, micro-adjusting router table fence system.
- Made of cast and machined aluminum and steel for durability.
- Twin micro-adjusting knobs with .001" accuracy and 7/8" range.
- Infeed and outfeed fences adjust separately for jointer use and other specialty applications.

- Dust Collection Port
- Includes laminated MDF fence faces, chip guard and mounting screws

BF3510 Feather Board




- Freud's universal Feather Board can be used vertically or horizontally and can be adjusted for that perfect amount of tension that any task you have may require.
- The Freud BF3510 Feather Board comes with all necessary hardware and track insert to fit standard 3/4" T-track.

FT2020 Template Guides



- With this set, you will always have the correct guide when you need it. The guides and adaptor are machined out of a special brass alloy for precision and long life.
- Set contains all template guides, an adaptor plate, and lock nut, all in a sturdy carrying case.
- Adaptor plate can be used with Freud FT3000, FT2200, FT2000E, and FT1700VCE routers as well as many other popular routers. Template guides will work with any router or adaptor which accepts universal template guides.

RTP1000 Ultimate Portable Router Table System



- Freud's New Ultimate Portable Router Table features a sturdy folding stand for easy storage and portability.
- Table top has a larger center opening to allow the router to be removed from above the table and features standard 3/4" T-track for infinite adjustability.
- The dual adjusting Freud SH-5 fence has Shaper/Joiner capabilities and be quickly adjusted or removed from the table to accommodate many different types of tasks.



Light weight and extremely sturdy leg system folds away when not in use for space saving storage and easy transportation



Micro Adjustable Fence with Dust Extraction is Industry leading accuracy with with micro-adjustability on both in-feed and out-feed fences—accurate to .001".



Extra large insert plate is a convenient 9"x12" allows router to be installed and removed through the table. Six leveling screws ensure plate is always level with the table top.


- System Includes:**
- Folding Leg System
 - Insert Plate with leveling screws, 2 Snap Down Rings, and Starter Pin
 - Sturdy Table Top with 3/4" T-track
 - SH-5 Micro-Adjustable Fence System with Dust Port



Light weight and Portable.



Convenient for any location.



Folds flat for easy storage.

PKG0026 Ultimate Router Table System

NEW



(System also available with out the steel stand as the PKG0024)



Instructional Video CDs Included

- Freud's PKG0026 Router/Table/Fence & Steel Stand Combo Package makes it easy to set up a professional router table system.
- The award winning FT2000E 3¹/₄ HP Variable Speed Plunge Router features easy, precise height adjustment and plenty of power for the most demanding jobs.
- SH-5 has micro-adjustability for precise positioning of the infeed and outfeed fences and built-in dust port.
- T-track accepts standard miter gauges and accessories.
- Heavy guage steel stand adjusts from 30¹/₂" to 36" for a variety of positions for ease of use.

System Includes:

- **RTT01** Table Top (32"x24"x1") with 3/4" T-track & 4 Threaded Insert Nuts for Mounting Fence System
- **SH-5** Micro-Adjustable Fence System with Dust Port
- **FT2000E** Variable Speed 3¹/₄HP Plunge Router
- **BF3800** Pre-Drilled Router Mounting Plate with 2 Snap Down Rings & Guide Pin
- **RTL01** Adjustable 30¹/₂" to 36" High Heavy Guage Steel Stand

90

PKG0024 Router Table System



Featherboards (BF3510) sold separately

- Freud's PKG0024 Router/Table/Fence Combo Package makes it easy to set up a professional router table system.
- The award winning FT2000E 3¹/₄ HP Variable Speed Plunge Router features easy, precise height adjustment and plenty of power for the most demanding jobs.
- SH-5 has micro-adjustability for precise positioning of the infeed and outfeed fences and built-in dust port.
- T-track accepts standard miter gauges and accessories.

System Includes:

- **RTT01** Table Top (32"x24"x1") with 3/4" T-track & 4 Threaded Insert Nuts for Mounting Fence System
- **SH-5** Micro-Adjustable Fence System with Dust Port
- **FT2000E** Variable Speed 3¹/₄HP Plunge Router
- **BF3800** Pre-Drilled Router Mounting Plate with 2 Snap Down Rings
- Plans for Optional Base

Index

Item	Page
03 Series	.7
04 Series	.5-6
05 Series	.7
08 Series	.5
11 Series	.7
12 Series	.5-6
12-112	.5
14 Series	.9
16 Series	.10
16-094	.10
16-107	.10
16-109	.10
18 Series	.17
19 Series	.17
20-100	.18
20-102	.18
20-104	.18
20-106	.18
20-107	.18
20-108	.18
20-109	.18
20-110	.18
20-112	.18
20-116	.18
20-120	.18
20-152	.18
20-154	.18
20-172	.23
20-174	.23
20-502	.18
20-574	.23
22 Series	.41
22-115	.41
24-106	.41
26-100	.15
26-104	.15
28-100	.15
28-104	.15
30 Series	.22, 23
32 Series	.42
33-106	.24
33-116	.24
34-100	.24
34-104	.24
34-106	.24
34-108	.24
34-110	.24
34-112	.24
34-114	.24
34-116	.24
34-117	.24
34-118	.24

Item	Page
34-119	.24
34-120	.24
34-122	.24
34-124	.24
34-126	.24
34-127	.24
34-128	.24
34-130	.24
34-132	.24
34-134	.24
34-136	.24
34-138	.24
34-140	.24
34-208	.26
34-210	.26
34-214	.26
36 Series	.25, 26
38-100	.28
38-102	.28
38-104	.28
38-106	.28
38-152	.28
38-154	.28
38-172	.28
38-202	.28
38-204	.28
38-222	.28
38-224	.28
38-250	.23
38-252	.23
38-260	.23
38-262	.23
38-270	.22
38-280	.22
38-282	.22
38-302	.29
38-304	.29
38-312	.29
38-314	.29
38-352	.30
38-362	.30
38-402	.29
38-452	.29
38-502	.30
38-504	.30
38-522	.30
38-524	.30
38-602	.31
38-612	.31
38-613	.31
38-614	.31
38-622	.31

Item	Page
38-632	31
38-713	31
39-100	18
39-101	18
39-102	18
39-112	18
39-152	19
39-154	19
39-202	19
39-204	19
39-205	19
39-206	19
39-208	19
39-210	19
39-226	19
39-228	19
39-230	19
39-232	19
39-234	19
39-236	19
39-238	19
39-240	20
39-252	19
39-302	19
39-304	19
39-306	19
39-500	20
39-502	20
39-504	20
39-506	20
39-512	20
39-514	20
39-516	20
39-522	21
39-524	21
39-526	21
39-532	21
39-534	21
39-536	21
39-578	19
39-580	19
40 Series	34
41-102	13
41-104	13
41-106	13
41-108	13
41-110	13
41-300	13
41-402	13
42 Series	11
42-202	10
42-204	10

Item	Page
43 Series	14
44 Series	11
45-502	15
45-522	15
48-102	15
48-112	15
50 Series	11
50-501	12
50-509	12
52-104	48
52-108	48
52-154	46
52-522	22
52-524	22
54-108	43
54-560	61
54-562	61
56 Series	44
58 Series	44
60 Series	45
61-102	43
62 Series	81
63 Series	45
64-100	12
66-100	13
68-100	13
70-100	15
70-102	18
70-104	21
75 Series	7
76 Series	8
77-106	8
77-108	8
77-109	8
77-206	9
77-208	9
77-209	9
78-116	9
78-136	9
80-102	34
80-104	34
80-106	34
80-108	34
80-122	34
80-124	34
80-126	34
80-128	34
80-130	34
80-552	33
80-558	32
80-564	32
80-572	33

Index

Item	Page
80-578	.32
80-584	.32
82 Series	.27
84-106	.33
84-126	.33
85 Series	.51-53
88-100	.66
88-104	.65
89-100	.74
89-102	.75
89-150	.74
89-152	.75
89-200	.76
89-250	.76
89-300	.75
89-350	.75
89-400	.73
89-402	.73
89-451	.73
89-500	.74
89-550	.74
89-650	.68
90-100	.68
90-106	.68
90-150	.67
90-160	.67
91-100	.70
91-102	.76
91-103	.65
91-104	.69
91-108	.66
92-100	.69
93-100	.73
94-100	.72
95-100	.72
95-200	.72
96-100	.73
96-102	.73
97-100	.71
97-102	.71
97-104	.71
97-106	.71
97-108	.71
97-200	.71
97-202	.71
97-204	.71
97-208	.71
97-210	.71
97-226	.71
97-504	.70
97-604	.70
97-904	.71

Item	Page
99-001	63
99-002	.62
99-003	.29
99-004	.20
99-005	.29
99-006	.28
99-007	.62
99-008	.35
99-009	.29
99-010	.35
99-011	.34
99-012	.38
99-013	.38
99-014	.38
99-015	.38
99-016	.38
99-017	.46
99-018	.46
99-019	.25
99-020	.33
99-021	.33
99-022	.33
99-023	.33
99-024	.33
99-025	.33
99-026	.17
99-027	.36
99-028	.27
99-029	.32
99-030	.32
99-031	.47
99-032	.47
99-033	.47
99-034	.46
99-035	.46
99-036	.47
99-037	.48
99-038	.49
99-039	.48
99-041	.46
99-044	.26
99-050	.55
99-051	.55
99-060	.56
99-061	.56
99-062	.56
99-063	.63
99-064	.57
99-065	.63
99-066	.63
99-191	.49
99-214	.55

Item	Page
99-226	.71
99-239	.49
99-240	.49
99-260	.56
99-261	.56
99-263	.56
99-264	.63
99-266	.56
99-267	.59
99-270	.55
99-280	.58
99-281	.58
99-283	.58
99-286	.58
99-290	.57
99-291	.57
99-293	.57
99-315	.62
99-318	.62
99-320	.62
99-322	.62
99-402	.37
99-404	.37
99-406	.37
99-408	.37
99-410	.37
99-442	.36
99-444	.36
99-446	.36
99-450	.36
99-452	.36
99-470	.57
99-500	.61
99-510	.60
99-511	.60
99-512	.60
99-513	.60
99-515	.60
99-516	.60
99-518	.60
99-519	.60
99-520	.60
99-521	.60
99-522	.60
99-523	.60
99-562	.61
99-566	.61
99-569	.61
99-571	.61
99-PK1	.39
99-PK2	.39
99-PK3	.39

Item	Page
99-PK7	.39
99-PKJ	.39
A90200	.77
A90210	.78
A91210	.78
A91220	.79
CG12	.14
CG30	.14
FT2020	.88
"V" Groove, Flush Trim Bits	.15
"V" Grooving Bits	.18
"V" Panel Bit Set	.49
"V" Veining Bits	.18
2+2 Raised Panel Bits	.60-61
2+2 Raised Panel Bits with Backcutters	.61
Adjustable Tongue & Groove Bit Set	.47
Beading Bits	.25
Beading Bits with Steel Pilots	.26
Beading Bits, Corner	.33
Beading Bits, Traditional	.34
Beading Bits, Triple	.32
Beading Groove Bits, Classical 19	
Bearing Flush Trim Bits	.11
Bearings, Reference Guide	.82-83
Bearings, Replacement	.81
Bevel Bowl Bit	.51
Bevel Rail and Stile Set	.57
Bevel Trim Bits	.12
Biscuit Joining Set	.46
Bold Classical Bit	.35
Butterfly Spline Bit	.41
Canoe Joint Bits	.46
Chamfer Bits	.34
Classical Beading Groove Bits	.19
Classical Bold Cove & Bead Bits	.30
Classical Bold Cove & Round Bits	.30
Classical Cove & Bead Bits	.30
Classical Cove & Round Bits	.31
Classical Cove Bits	.23
Classical Roman Ogee Bits	.29
Combination Rounding Over Bit	.26
Compression, Diamond	.9
Compression, Double	.9
Compression, Single	.8
Convex Edge Bit	.25
Corner Beading Bits	.33

Index

Item	Page
Cove & Bead Bits	29
Cove & Bead Bits, Classical	30
Cove & Bead Groove Bits	18
Cove & Fillet Bits	22
Cove Bits	22
Cove Bits with Steel Pilots	23
Cove Bits, Classical	23
Crown Moulding Bits	37
Diamond Compression Bits	9
Dish Carving Bits	17
Divided Lite Cabinet Door Bit Set	55
Door Lip Bits	62-63
Door Lip/Finger Pull Bit	63
Door Pull Bit	62
Double Compression Bits	9
Double Fillet Ogee Bit	29
Double Flute Straight Bits	5-6
Dovetail Bits	41
Down Spiral Router Bits	8
Downshear Helix Flush Trim Bit	10
Drawer Front Bit	63
Drawer Lock Bit	49
Drop-Leaf Table Bit Sets	24
Entry & Interior Door Bit Set	59
Face Moulding Bits	38
Feather Board (BF3510)	88
Finger Joint Bit	48
Finger Joint Bit, Variable Height	48
Finger Pull Door Lip Bit	63
Flush & Bevel Trim Bits	13
Flush Trim "V" Groove Bits	15
Flush Trim Bit, Bearing	11
Flush Trim Bit, Solid Carbide	12
Flush Trim Bit, Top Bearing	11
Flute Bits	32
Four Wing Slotting Cutters	44
French Provincial Raised Panel Bit	55
FT1000EK 13/4hp Laminate Trimmer/Plunge Router	79
FT1700VCE 2-1/4 hp Variable Speed Router	85
FT2000E 31/4hp Variable Speed Plunge Router	79
FT2200EP 3-1/4 hp Variable Speed Plunge Router	87
FT3000VCE 3-1/4 hp Variable Speed Plunge Router	86
FT750T 1 HP Laminate Trimmer	88
Glass Panel Cabinet Set	58

Item	Page
Half Round Bits	27
Half Round Bits with Bearings	27
Handrail Bits	36
Inlay Bits	52
Insert Bevel Trim Bits	14
Insert Flush Trim Bits	14
Key Hole Bit	21
Laminate Miter Joint Bits	15
Lettering Bits	23
Lock Miter Bits	46
Matched Rail & Stile Bit Sets	56
Mortising Bits	10
Multi-Profile Bits	39
No Drip Edge Bits	52
No Lip Door Edge Bit	63
Ogee Bit, Double Fillet	29
Ogee Bits	28
Ogee Bits, Classical Roman	29
Ogee Bits, Roman	28
Ogee Bowl Bits	51
Ogee Fillet Bits	28
Ogee Groove Bit, Standard	20
Ogee Groove Bits	19
One-Piece Rail & Stile Bits	57
Ovolo Bits	19
Panel Pilot Bits	15
PKG0024 Router Table System	90
PKG0026 Ultimate Router Table System	90
Rabbeting Bits	42
Rabbeting Bits with Bearing Set	42
Rail & Stile Bits, One-Piece	57
Rail & Stile Matched Bit Sets	56
Rail & Stile Profile Bits	56
Raised Panel "V" Joint Bit	49
Raised Panel Bit, French Provincial	55
Raised Panel Bits, 2+2	60-61
Raised Panel Bits, 2+2 with Backcutters	61
Raised Panel Bits, Vertical	62
Recoverable Bead Glass Door Bits Sets	58
Repair Parts	81
Replacement Bearings	81
Replacement Cutters	14
Reversible Glue Joint Bit	47
Reversible Wainscoting Bit	57
Roman Ogee Bits	28
Round Nose Bits	17

Item	Page
Rounding Over Bit, Combination	26
Rounding Over Bits	24
Rounding Over Bits with Steel Pilots	26
Rounding Over Bowl Bits	51
Router Bit Sets	65-79
RTP1000 Ultimate Portable Router Table System	89
SH-5 Router Fence	88
Single Compression Bits	8
Single Flute Straight Bits	7
Slotting Cutter Arbors	45
Slotting Cutter Sets	45
Stacked Slotting Set	43
Stagger Bits	9
Standard Ogee Groove Bit	20
T-Slotting Cutters	22
Table Edge & Handrail Bits	36
Table Top Classical Bit	35
Table Top Classical Bold Bit	34
Template Guides	80
Three Wing Slotting Cutters	44
Tongue & Groove Bit Set, Adjustable	47
Top & Bottom Bearing Flush Trim Bit	12
Top Bearing Classical Cove & Bead Groove Bits	20
Top Bearing Cove & Bead Groove Bits	21
Top Bearing Double Cove Groove Bits	20
Top Bearing Fillet Ogee Groove Bits	21
Top Bearing Flush Trim Bits	11
Traditional Beading Bits	34
Triple Beading & Triple Fluting Bits	33
Triple Beading Bits	32
Up Spiral Router Bits	7
Variable Corner Round Bit	27
Variable Height Finger Joint Bit	48
Vertical Raised Panel Bits	62
Wavy Joint Bit	53
Wedge & Tongue Bits	47
Window Sash & Rail Bits	55

FREUD Lifetime Guarantee

FREUD LIMITED TOOLING WARRANTY

All Freud tools are engineered and manufactured to the highest of standards. Freud warrants to the original purchaser at retail that each new Freud tool shall be free from defects in material and workmanship, subject to the guidelines below. Upon verification of failure or malfunction, Freud shall, at its option, within sixty (60) days, repair or replace the tool, subject to the Guidelines below.

GUIDELINES

1. In the event of failure or malfunction, return the product, properly packaged and postage prepaid, to Freud at the address listed below or to an authorized Freud tool service station. See back of price list for authorized repair dealers. You may also contact Freud at (336) 434-3171 for instructions on returns and technical advice.
2. All implied warranties for Freud's power tools (INCLUDING MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE) are limited to the period of one year from the purchase date. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.
3. A warranty claim shall be limited to repair or replacement as stated in Freud's Limited Tooling Warranty and in no event shall Freud be liable for any other direct, indirect, incidental or consequential damages, costs or expenses. **INCIDENTAL AND CONSEQUENTIAL DAMAGES ARE EXCLUDED UNDER ALL WARRANTIES.** Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.
4. Freud warranties give you specific legal rights, and you may also have other rights which vary from state to state.
5. Freud warranties shall not be deemed to have failed their essential purpose while Freud is willing to repair or replace defective products.
6. Freud assumes no liability for defects or damage caused by abuse or misuse of any product or unauthorized service of any product. The product must have been used for its recommended purpose and not modified by sharpening or other changes. Normal wear and tear are not covered under Freud warranties.
7. Any action for breach of warranty must be commenced within one year after the accrual of the cause of action.

To obtain service under Freud warranties, contact an authorized repair center or:

IN UNITED STATES

Freud America, Inc.
Attn. Customer Service
Post Office Box 7187
High Point, North Carolina 27264
(336) 434-3171

IN CANADA

Freud Canada
Attn. Customer Service
7450 Pacific Circle
Mississauga, Ontario L5T 2A3
(905) 670-1025

freud®



ISO 9001
VISION 2000
CERTIFICATE REGISTRATION # 50 100 4138

Call Freud for all of your woodworking needs.

Here are other quality products from Freud:

- SAW BLADES
- DADO HEADS
- FORSTNER BITS
- SHAPER CUTTERS
- PLANER & JOINER KNIVES
- POWER TOOLS
- ACCESSORIES

1-800-472-7307

Freud America, Inc.

e-mail: customerservice@freudtools.com

Visit our website

www.freudtools.com

1-905-670-1025

Freud Canada

e-mail: sales@freudcanada.com

Red router bits are a registered trademark of
Freud America, Inc.

*©2005 Freud America, Inc. All rights reserved.
No portion of this catalog may be reprinted
without the written consent of Freud America, Inc.*

All specifications are subject to change without notice.

PN#LIT0003
Print 10/2005



0 08925 02069 1